

## **Model H10-26 Aviation Headset**

Headset-Mic, Over-The-Head, Helicopter Model H10-26 / 40074G-02

**Data Sheet** 



Model H10-26 Aviation Headset

## **FEATURES AND BENEFITS**

- Super-soft head pad
- Larger, yet lighter, undercut Comfort Gel ear seals
- > Flex boom assembly can be adjusted for perfect microphone placement
- ➤ M-7A, advanced noise-cancelling microphone
- Low-profile volume control knob with detent settings

- Helicopter version with 5-foot extended coil cord and a single plug
- Certified Noise Reduction Rating 24 dB
- Exceeds RTCA/DO-214 Standards
- Five-year warranty
- Made in USA
- FAA TSO Approved C57B, C58a
- NSN 5965-01-446-1483

## **TECHNICAL DATA**

| Ear coupling      | Around-the-ear                |
|-------------------|-------------------------------|
| Hardware          | Steel                         |
| Earphone Plug     | U-174/U                       |
| Mic Plug          | U-174/U                       |
| Connection Cable  | ~ 5 ft. (1.5 m) extended coil |
|                   | cord                          |
| Weight w/o cable  | ~ 19 oz. (562 g)              |
| Dome type         | ABS                           |
| Earphone          | 90 dB SPL on flat plate       |
| Sensitivity       | coupler, re 1mW input @1KHz   |
| Earphone Type     | Dynamic                       |
| Ear Impedance     | 150Ω (300 each; wired in      |
|                   | parallel)                     |
| Ear Freq Response | 200 – 5,500 Hz                |
| Microphone        | M-7A Amplified Electret       |
| principle         |                               |
| Mic Impedance     | 50Ω +/- 20%                   |
| Mic Sensitivity   | 400mV+/-6dB into 150Ω load    |
|                   | @ 1kHz for 114dB SPL input    |
| Mic Freq Response | 300Hz – 3.5KHz per RTCA       |
|                   | DO 214                        |
| Mic DC Supply V.  | 8-16V, not polarity sensitive |
| Source Resistance | 470Ω                          |

## SIGMACOM

radiocommunication.ch

Rue de la Dixence 49 - CH-1950 Sion T+41 (0)27 322 41 01 F+41 (0)27 322 41 02 info@sigmacom.ch - www.sigmacom.ch

